Author Index of Volume 23

Abdel-Aziz, M. R., 59
Abou El-Ela, A. A., 51
Adascalitei, A., 155
Alavi-Serashki, M. M., 1
Asgarpoor, S., 23

Bakirtzis, A. G., 93
Balda, J. C., 233

Çadırcı, I., 71
Chen, C. S., 147
Cho, M. Y., 147
Council, M. E., 5

Datta, A. K., 239
Deb, A., 239
Demirekler, M., 71
Dobrzańska, I., 161

El-Keib, A. A., 41
Ermiş, M., 71
Ertan, H. B., 71

Farghal, S. A., 59
Fengnian, H., 129

Gavanidou, E. S., 93

Halberg, N., 189
Hao Fengnian, 129
Hartana, R. K., 103

Izzularab, M., 51

Jenkins, M. A., 13
Johnson, P. R., 5

Kandil, M. S., 59
Kar, S. C., 139
Kim, J.-O., 181
King, R. L., 31

Lennox, J. D., 47
Lin, S. H., 227
Lin, W. M., 147

Mitrea, S., 155
Moradian, M. A., 13
Mukhopdhyay, A. K., 139

Nguyen, T. T., 217

Richards, G. G., 103
Roy, A., 239
Rubaai, A., 41

Sarıbatır, B. M., 71
Sen, S. K., 239
Sezer, M. E., 71
Singh, C., 1, 23, 181
Singh, H., 41

Thompson, E. D., 13
Tomlinson, G. H., 13
Trepagnier, T., 13
Turkenburg, W. C., 189, 201

Üçtuğ, Y., 71

van Wijk, A. J. M., 189, 201

Yee, H., 115
Youssef, O. S. A., 85, 123
Ypsilantis, J., 115

Zhang, J. J.-P., 31

Subject Index of Volume 23

Artificial intelligence diagnostics
on-line, for utility generating stations, 13
Autonomous system
with unconventional energy sources, optimum operation of, 93

Capacity credit
of wind power in Netherlands, 189
Computer aided design based tool
for power system analysis and simulation — GPSAS, 31
Converter-fed DC systems
under unbalanced and harmonic supply voltages, harmonic analysis of, 233
Corona modelling
in power system operation, 51

Database
distribution, with customer daily load patterns, design of, 147
Digital technique
new, for measuring total system frequency, 85
Distribution database
with customer daily load patterns, design of, 147
Distribution feeders
with multiple harmonic sources, optimum filter design for, 103
Distribution networks
prediction of ferroresonance in, 155
Drying rate
of transformer insulation during dry cycle, prediction of, 227

Energy sources
unconventional, optimum operation of small autonomous system with, 93
Expected cost penalty
new index for generation capacity reliability studies, 23
Expert system
knowledge base of, for generation expansion planning, 59

Fault identifier
microprocessor based, 139
Faults
transmission line, new technique for location of, using single-terminal voltage and current data, 123
Ferroresonance
in distribution networks, on prediction of, 155
Filter design
optimum, for distribution feeders with multiple harmonic sources, 103
Filter design procedure
optimal harmonic, 217
Frequency
of system, local, new digital technique for measuring, 85
power line, method for tracking, with millihertz resolution and high/low cut-off, 239

Generating capacity reliability evaluation
generalized cumulant method for, 1
new technique for, 181
Generating capacity reliability studies
new index for — expected cost penalty, 23
Generating expansion planning
knowledge base of expert system for, 59

Harmonic analysis
of converter-fed DC systems under unbalanced and harmonic supply voltages, 233
Harmonic filter design procedure
optimal, 217
Harmonic sources
multiple, optimum filter design for distribution feeders with, 103
Hausdorff dimension
as tool of step-by-step prediction, 161

Induction generator schemes
various, for wind–electricity generation, 71
Insulation
transformer, prediction of drying rate of, during dry cycle, 227

Knowledge base
of expert system for generation expansion planning, 59

Lightning insulation coordination of substations
new statistical and optimum approach to, 129
Linear programming
towards fast state estimation using, 41
Load patterns
customer daily, design of distribution database with, 147
Loadbreak elbows
200 A, 15 kV, testing techniques for, 5

Machine learning
of sequences of events: application to power distribution, 115
Meter reading
automated: pilot study, 47
Microprocessor based identifier
of phases and faults, 139

Phase identifier
microprocessor based, 139
Power distribution
machine learning of sequences of events: application to, 115
Power line frequency
method for tracking, with millihertz resolution and high/low cut-off, 239
Prediction
step-by-step, Hausdorff dimension as tool of, 161

Reliability evaluation
of generating capacity, generalized cumulant method for, 1
of generating capacity, new technique for, 181
Reliability studies
of generating capacity, new index for — expected cost penalty, 23

State estimation
towards fast, using linear programming, 41

Tracking
power line frequency, method for, with millihertz resolution and high/low cut-off, 239
Transformer insulation
prediction of drying rate of, during dry cycle, 227
Transmission line faults
new technique for location of, using single-terminal voltage and current data, 123

Unbalanced supply voltages
harmonic analysis of converter-fed DC systems under, 233

Wind energy
in Netherlands, costs avoided by use of, 201
Wind power
in Netherlands, capacity credit of, 189